







No.	R E V I S I O N S	DATE
A	FLASHING MATERIAL NOTED	28 / 05 / 2010



DETAIL 07 REMOVED



DETAIL 08 REMOVED



TIMBER TREATMENT SCHEDULE		
□ Exterior wall framing and parapets in all but low risk, single storey masonry veneer buildings	H1.2	CCA
□ Enclosed framing within skillion roofs	H1.2	CCA
□ Subfloor framing	H1.2	CCA
□ Timber and ply reveals	H3.0	CCA
□ External plywood	H3.2	CCA
□ Fascia's and enclosed framing within flat roofs (less than 15° pitch)	H3.1	LOSP
□ Framing for enclosed decks and balconies	H3.1	LOSP
□ Framing within enclosed balustrades	H3.1	LOSP
□ Some framing supporting decks and balconies	H3.1	LOSP
□ Unroofed decking and external stairs, handrails and balustrades	H3.2	CCA
□ Piles and other structural in ground material	H5	CCA
ALL TIMBER TO BE PINUS RADIATA UNLESS SPECIFICALLY NOTED OTHERWISE		

Design Responsibility and Liability
This specimen design has been prepared to identify the accommodation, plant and equipment needs for the delivery of oral health services in a clinic setting in New Zealand. While reasonable care has been taken in compiling the specimen design within the context of the design assumptions specified, neither the developer of this specimen design, DHBNZ, the CDHB or their third party providers accept any liability nor is any warranty expressed or implied as to its fitness for purpose, completeness or accuracy. As this design is a specimen only, users of this specimen design are required to employ suitably qualified professionals to verify and assume responsibility for the design, validate or vary the design as necessary to suit specific site conditions and undertake appropriate construction monitoring. Any reliance or use of these designs by any person is at their own discretion and risk, and they shall not be entitled to rely on or treat the design as professional advice to them by the developer of this specimen design, DHBNZ or CDHB. In accepting delivery and/or using this specimen design, the recipient agrees and acknowledges that he/she is accepting the specimen design on the basis set out above.