


LATEST REVISION DETAILS		NAME	DATE
ISSUED FOR TENDER		BF	20-04-11
<b>NOTES</b> 1. ALL WORKS AND MATERIALS TO COMPLY WITH WCC ENGINEERING STANDARDS. 2. CONTRACTOR TO CONFIRM LOCATION AND HEIGHT OF ALL EXISTING SERVICES TO ENGINEER PRIOR TO WORKS COMMENCING. 3. ALL PIPE BEDDING DETAILS REFER TO WCC STANDARD DETAIL SHEETS. 4. CONCRETE PIPES ARE TO BE CLASS 2 (X) RRJ UNLESS OTHERWISE NOTED. 5. ALL PIPE TRENCH TO BE HARDFILL BACKFILLED. 6. ALL MANHOLES ARE TO BE MINIMUM 1050mm DIA. UNLESS OTHERWISE NOTED. 7. THE CONTRACTORS IS TO PEG MANHOLES AND CHECK FINISHED EARTHWORKS LEVELS (MH LID LEVELS) PRIOR TO ORDERING MANHOLES. 8. ALL STORMWATER PVC PIPES ARE TO BE SN8, UNLESS OTHERWISE NOTED. 9. ALL SANITARY SEWER PVC PIPES ARE TO BE SN16, UNLESS OTHERWISE NOTED. 10. ALL SINGLE CESSPITS TO BE 675mm x 450mm.			
<b>LEGEND</b> STORMWATER LINE SANITARY SEWER LINE COMMON SERVICE TRENCH CESSPIT			
CLIENT:  <b>Waitemata</b> District Health Board <i>Te Wai Awhina</i>			
 <b>WOODS</b> Engineers. Surveyors. Planners. PO BOX 6752, WELLESLEY ST, AUCKLAND 1141 BLDG 3, LEVEL 4, 666 GREAT SOUTH ROAD, PENROSE PHONE +64 9 571 2470 FAX +64 9 571 3405 <a href="http://WWW.WOODS.CO.NZ">WWW.WOODS.CO.NZ</a>			
<b>FIXED ORAL HEALTH CARE UNITS</b>			
HENDERSON INTERMEDIATE SCHOOL 6-CHAIR FACILITY DRAINAGE & UTILITY PLAN (SHEET 1 OF 3) WAITAKERE CITY COUNCIL			
DESIGNED: SK	FOR TENDER		
CHECKED:	DRAWN: SK		
APPROVED:	SURVEYED: SG & RC		
JOB NUMBER: 60541	SCALE: 1:600 @ A3		
ISSUED: 20-04-10			
DWG. NO. 60541-03-DR-300	REV. -		