



LATEST REVISION DETAILS		NAME	DATE
ISSUED FOR TENDER	BF		20-04-10

NOTES 1. ALL WORKS AND MATERIALS TO COMPLY WITH NSGC ENGINEERING STANDARDS. 2. CONTRACTOR TO CONFIRM LOCATION AND HEIGHT OF ALL EXISTING SERVICES TO ENGINEER PRIOR TO WORKS COMMENCING. 3. ALL PIPE BEDDING DETAILS REFER TO NSGC STANDARD DETAIL SHEETS. 4. CONCRETE PIPES ARE TO BE CLASS 2 (X) RRI UNLESS OTHERWISE NOTED. 5. ALL PIPE TRENCH TO BE HARDFILL BACKFILLED. 6. ALL MANHOLES ARE TO BE MINIMUM 1050mm DIA, UNLESS OTHERWISE NOTED. 7. THE CONTRACTORS IS TO PEG MANHOLES AND CHECK FINISHED EARTHWORKS LEVELS (MH LID LEVELS) PRIOR TO ORDERING MANHOLES. 8. ALL STORMWATER PVC PIPES ARE TO BE S18, UNLESS OTHERWISE NOTED. 9. ALL SANITARY SEWER PVC PIPES ARE TO BE S116, UNLESS OTHERWISE NOTED. 10. ALL SINGLE CESSPITS TO BE 675mm x 450mm.			
--	--	--	--

LEGEND STORMWATER LINE SANITARY SEWER LINE WATER LINE COMMON SERVICE TRENCH CESSPIT			
---	--	--	--

CLIENT:			
----------------	--	--	--

 Waitemata District Health Board <i>Te Wai Awihina</i>			
--	--	--	--

 WOODS Engineers, Surveyors, Planners.			
--	--	--	--

PO BOX 4752, WELLESLEY ST, AUCKLAND 1141 BLDG 3, LEVEL 4, 666 GREAT SOUTH ROAD, PENROSE PHONE +64 9 571 2470 FAX +64 9 571 3405 WWW.WOODS.CO.NZ			
--	--	--	--

FIXED ORAL HEALTH CARE UNITS			
-------------------------------------	--	--	--

GLENFIELD INTERMEDIATE SCHOOL 4-CHAIR FACILITY DRAINAGE & UTILITY PLAN NORTH SHORE CITY COUNCIL			
---	--	--	--

DESIGNED: SK	TENDER		
CHECKED: SK	DRAWN: SK		
APPROVED: SC & RC	SURVEYED: SC & RC		
JOB NUMBER: 60541	SCALE: 1:300 @ A3		
ISSUED: 20-04-10			
DWG. NO. 60541-02-DR-300	REV. -		