



ALTERNATIVE DESIGN OPTION (No Line)

WEST OF DEMARCATION LINE

AS PER DESIGN METAL MAKE-UP
WITH BROWN A34 FABRIC ON
SUBGRADE

CLASSROOM

EAST OF DEMARCATION LINE

50mm w/cut to DESIGN METAL MAKE-UP
WITH BROWN A34 FABRIC ON SUBGRADE

GRASS

CONCRETED AREA

SEALED
CARPARK

CHIVALRY ROAD

X'ING

BERM

FOOTPATH
TOP OF KERB

Lot 10
DP 49471

Lot 14
DP 49471

Lot 13
DP 49471

Lot 12
DP 49471

(X) = TEST LOCATIONS
(SCALE PENETROMETER)
10 AUGUST 2010

LATEST REVISION DETAILS	NAME	DATE
ISSUED FOR CONSTRUCTION	BF	18/06/10

NOTES

1. ALL WORKS AND MATERIALS TO COMPLY WITH NSCC ENGINEERING STANDARDS.
2. CONTRACTOR TO CONFIRM LOCATION AND HEIGHT OF ALL EXISTING SERVICES TO ENGINEER PRIOR TO WORKS COMMENCING.
3. ALL PIPE BEDDING DETAILS REFER TO NSCC STANDARD DETAIL SHEETS.
4. CONCRETE PIPES ARE TO BE CLASS 2 (X) RRJ UNLESS OTHERWISE NOTED.
5. ALL PIPE TRENCH TO BE HARDFILL BACKFILLED.
6. ALL MANHOLES ARE TO BE MINIMUM 1050mm DIA. UNLESS OTHERWISE NOTED.
7. THE CONTRACTOR IS TO PEG MANHOLES AND CHECK FINISHED EARTHWORKS LEVELS (MH LID LEVELS) PRIOR TO ORDERING MANHOLES.
8. ALL STORMWATER PVC PIPES ARE TO BE SN8, UNLESS OTHERWISE NOTED.
9. ALL SANITARY SEWER PVC PIPES ARE TO BE SN16, UNLESS OTHERWISE NOTED.
10. ALL SINGLE CESSPITS TO BE 675mm x 450mm.

LEGEND

STORMWATER LINE	---
SANITARY SEWER LINE	---
WATER LINE	---
COMMON SERVICE TRENCH	
CESSPIT	⊞

CLIENT:



PO BOX 6752, WELLESLEY ST, AUCKLAND 1141
BLDG 3, LEVEL 4, 466 GREAT SOUTH ROAD, PENROSE
PHONE +64 9 571 2470 FAX +64 9 571 3405 WWW.WOODS.CO.NZ

**FIXED ORAL HEALTH
CARE UNITS**

**GLENFIELD INTERMEDIATE
SCHOOL
4-CHAIR FACILITY
SET-OUT PLAN
NORTH SHORE CITY COUNCIL**

DESIGNED: SK	ISSUED FOR CONSTRUCTION
CHECKED:	DRAWN: BF
APPROVED:	SURVEYED: SC & RC
JOB NUMBER: 60541	SCALE: 1:300 @ A3
ISSUED: 18-06-10	
DWG. NO. 60541-02-GE-025	REV. A