



CLIENT: WAIWAI DISTRICT COUNCIL	NAME: BF	DATE: 18/06/11
ISSUED FOR CONSTRUCTION		

- NOTES**
1. ALL WORKS AND MATERIALS TO COMPLY WITH NSCC ENGINEERING STANDARDS.
 2. CONTRACTOR TO CONFIRM LOCATION AND HEIGHT OF ALL EXISTING SERVICES TO ENGINEER PRIOR TO WORKS COMMENCING.
 3. ALL PIPE BEDDING DETAILS REFER TO NSCC STANDARD DETAIL SHEETS.
 4. CONCRETE PIPES ARE TO BE CLASS 2 (X) RRU UNLESS OTHERWISE NOTED.
 5. ALL PIPE TRENCH TO BE HARDFILL BACKFILLED.
 6. ALL MANHOLES ARE TO BE MINIMUM 1050mm DIA. UNLESS OTHERWISE NOTED.
 7. THE CONTRACTORS IS TO PEG MANHOLES AND CHECK FINISHED EARTHWORKS LEVELS (MH LID LEVELS) PRIOR TO ORDERING MANHOLES.
 8. ALL STORMWATER PVC PIPES ARE TO BE S16, UNLESS OTHERWISE NOTED.
 9. ALL SANITARY SEWER PVC PIPES ARE TO BE S16, UNLESS OTHERWISE NOTED.
 10. ALL SINGLE CESSPITS TO BE 675mm x 450mm.

LEGEND	
STORMWATER LINE	
SANITARY SEWER LINE	
WATER LINE	
COMMON SERVICE TRENCH	
CESSPIT	

CLIENT:



PO BOX 4732, WILKES ST, AUCKLAND 1141
PHONE +64 9 571 2470 FAX +64 9 571 3405 WWW.WOODS.CO.NZ

FIXED ORAL HEALTH CARE UNITS

GLENFIELD INTERMEDIATE SCHOOL
4-CHAIR FACILITY
SET-OUT PLAN
NORTH SHORE CITY COUNCIL

DESIGNED: SK	ISSUED FOR CONSTRUCTION
CHECKED: DRAWN: BF	
APPROVED: SURVEYED: SG & RC	
JOB NUMBER: 60541	SCALE: 1:300 @ A3
ISSUED: 18-06-10	
DWG. NO. 60541-02-GE-025	REV. A