



LATEST REVISION DETAILS	NAME	DATE
CLINIC SIGN LOCATION & SIZE REVISED	BF	13-05-1

- NOTES**
1. ALL WORKS AND MATERIALS TO COMPLY WITH NSCC ENGINEERING STANDARDS.
  2. CONTRACTOR TO CONFIRM LOCATION AND HEIGHT OF ALL EXISTING SERVICES TO ENGINEER PRIOR TO WORKS COMMENCING.
  3. ALL PIPE BEDDING DETAILS REFER TO NSCC STANDARD DETAIL SHEETS.
  4. CONCRETE PIPES ARE TO BE CLASS 2 (X) RRJ UNLESS OTHERWISE NOTED.
  5. ALL PIPE TRENCH TO BE HARDFILL BACKFILLED.
  6. ALL MANHOLES ARE TO BE MINIMUM 1050mm DIA. UNLESS OTHERWISE NOTED.
  7. THE CONTRACTORS IS TO PEG MANHOLES AND CHECK FINISHED EARTHWORKS LEVELS (MH LID LEVELS) PRIOR TO ORDERING MANHOLES.
  8. ALL STORMWATER PVC PIPES ARE TO BE SN8, UNLESS OTHERWISE NOTED.
  9. ALL SANITARY SEWER PVC PIPES ARE TO BE SN16, UNLESS OTHERWISE NOTED.
  10. ALL SINGLE CESSPITS TO BE 675mm x 450mm.

LEGEND	
STORMWATER LINE	
SANITARY SEWER LINE	
WATER LINE	
COMMON SERVICE TRENCH	
CESSPIT	

CLIENT:



**Waitemata**  
District Health Board  
*Te Wai Awhina*



**WOODS**  
Engineers. Surveyors. Planners.

PO BOX 6752, WELLESLEY ST, AUCKLAND 1141  
BLDG 3, LEVEL 4, 666 GREAT SOUTH ROAD, PENROSE  
PHONE +64 9 571 2470 FAX +64 9 571 3405 [WWW.WOODS.CO.NZ](http://WWW.WOODS.CO.NZ)

## FIXED ORAL HEALTH CARE UNITS

GLENFIELD INTERMEDIATE SCHOOL  
4-CHAIR FACILITY  
DRAINAGE & UTILITY PLAN  
NORTH SHORE CITY COUNCIL

DESIGNED: SK	CONSENT
CHECKED:	DRAWN: SK
APPROVED:	SURVEYED: SG & RC
JOB NUMBER: 60541	SCALE: 1:300 @ A3
ISSUED: 20-04-10	
DWG. NO. 60541-02-DR-300	REV. 2